

<b>Transformer ID:</b>	TR01-P115USL2	<b>Serial Number:</b>	PA33091-008
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.32%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	08 / 2010		

<b>Transformer ID:</b>	TR01-P115USL1	<b>Serial Number:</b>	PA33091-007
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.30%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	08 / 2010		

<b>Transformer ID:</b>	TR01-P192USL3	<b>Serial Number:</b>	PA33091-016
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.28%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	10 / 2010		

<b>Transformer ID:</b>	TR01-P152USL1	<b>Serial Number:</b>	PA33091-009
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.20%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	09 / 2010		

<b>Transformer ID:</b>	TR01-P152USL4	<b>Serial Number:</b>	PA33091-012
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.34%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	09 / 2010		

<b>Transformer ID:</b>	TR01-P107USL2	<b>Serial Number:</b>	PA33091-006
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.48%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	06 / 2010		

<b>Transformer ID:</b>	TR01-P107USL1	<b>Serial Number:</b>	PA33091-005
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.47%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	06 / 2010		

<b>Transformer ID:</b>	TR01-P192USL4	<b>Serial Number:</b>	PA33091-018
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.25%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	10 / 2010		

<b>Transformer ID:</b>	TR01-P152USL3	<b>Serial Number:</b>	PA33091-011
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.34%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	09 / 2010		

<b>Transformer ID:</b>	TR01-P192USL2	<b>Serial Number:</b>	PA33091-015
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.29%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	10 / 2010		

<b>Transformer ID:</b>	TR01-P152USL2	<b>Serial Number:</b>	PA33091-010
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.22%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	09 / 2010		

<b>Transformer ID:</b>	TR01-P192USL1	<b>Serial Number:</b>	PA33091-014
<b>Manufacturer:</b>	ABB	<b>Configuration:</b>	Delta-Wye (DYN1)
<b>Type:</b>	3 Phase	<b>Insulation Fluid:</b>	Silicone
<b>Class:</b>	KNAN / KNAF	<b>KVA Rating:</b>	3000 / 3360
<b>Voltages HV / LV:</b>	33640 / 480Y-277	<b>B.I.L. HV / LV:</b>	200KV / 30KV
<b>Impedance:</b>	7.32%	<b>Frequency:</b>	60Hz
<b>Tap Changer:</b>	5 position, no load	<b>Instruction Book # :</b>	PC-1002
<b>Fans:</b>	Yes	<b>Total Weight:</b>	21066 Lbs.
<b>Date of Manufacture:</b>	10 / 2010		